


Q1 Where do you practice?

Answered: 117 Skipped: 1




ANSWER CHOICES	RESPONSES	
North America	24.79%	29
Latin America	5.13%	6
Europe	47.86%	56
Asia-Pacific	19.66%	23
Other (please specify)	2.56%	3
TOTAL		117

#	OTHER (PLEASE SPECIFY)	DATE
1	I'm a scientist	1/31/2026 9:38 AM
2	Middle East	1/20/2026 11:33 PM
3	Middle East	1/20/2026 7:37 PM

Q2 What type of practice?

Answered: 117 Skipped: 1




ANSWER CHOICES	RESPONSES	
Academic	34.19%	40
Private	27.35%	32
Mixed	35.04%	41
Other (please specify)	3.42%	4
TOTAL		117

#	OTHER (PLEASE SPECIFY)	DATE
1	ACADEMIC AND PRIVATE	2/3/2026 3:17 AM
2	I'm a scientist	1/31/2026 9:38 AM
3	Research	1/31/2026 5:15 AM
4	Private Academic	1/30/2026 6:16 PM

Q3 Approximately how many ACL surgeries do you perform per year?


Answered: 117 Skipped: 1



ANSWER CHOICES	RESPONSES	
0-50	7.69%	9
50-100	31.62%	37
100-200	27.35%	32
>200	29.06%	34
N/A (rehabilitation expert and/or scientist)	4.27%	5
TOTAL		117

Q4 When do you prefer to operate after an ACL injury?


Answered: 116 Skipped: 2



ANSWER CHOICES	RESPONSES	
Less than 2 weeks	8.62%	10
2-6 weeks	23.28%	27
More than 6 weeks	6.03%	7
Exact time less important than patient-specific factors (ROM, effusion, pain, gait)	62.07%	72
TOTAL		116

Q5 Do you recommend routine aspiration of knee hemarthrosis within the first few days of ACL injury?


Answered: 116 Skipped: 2



ANSWER CHOICES	RESPONSES	
Yes	19.83%	23
No	80.17%	93
TOTAL		116

Q6 Do you limit weight bearing using crutches prior to ACL surgery?


Answered: 116 Skipped: 2



ANSWER CHOICES	RESPONSES	
Yes, until surgery	3.45%	4
No	47.41%	55
Use crutches until patients ambulate without pain	49.14%	57
TOTAL		116

Q7 Do you routinely use pre-operative bracing prior to ACL surgery?


Answered: 116 Skipped: 2



ANSWER CHOICES	RESPONSES	
Yes, until surgery	2.59%	3
No	86.21%	100
Use brace until adequate quadriceps control	11.21%	13
TOTAL		116

Q8 Do you routinely obtain weightbearing knee X-ray series prior to ACL surgery?


Answered: 116 Skipped: 2



ANSWER CHOICES	RESPONSES	
Yes	54.31%	63
No	45.69%	53
TOTAL		116

Q9 Do you routinely obtain an MRI prior to ACL surgery?


Answered: 116 Skipped: 2



ANSWER CHOICES	RESPONSES	
Yes	98.28%	114
No	1.72%	2
TOTAL		116

Q10 Do you routinely obtain other imaging (ie special X rays, CT, etc) prior to ACL surgery?


Answered: 115 Skipped: 3



ANSWER CHOICES	RESPONSES	
Yes	25.22%	29
No	74.78%	86
TOTAL		115

Q11 What other imaging do you routinely obtain?

Answered: 53 Skipped: 65



ANSWER CHOICES	RESPONSES
CT	13.21% 7
Bone scan	0.00% 0
Long limb/mechanical axis view	52.83% 28
Full length lateral tibia XR	35.85% 19
Other (please specify)	35.85% 19
Total Respondents: 53	


#	OTHER (PLEASE SPECIFY)	DATE
1	NA	2/1/2026 12:02 AM
2	None	1/31/2026 2:52 PM
3	lateral view	1/31/2026 2:32 PM
4	None	1/31/2026 1:48 AM
5	quad tendon ultrasound	1/30/2026 7:35 PM
6	Na	1/27/2026 6:22 AM
7	none	1/26/2026 2:21 PM
8	Nothing	1/26/2026 1:12 PM
9	None	1/26/2026 11:47 AM
10	EOS or long lateral as clinically indicated but not routine in primary ACLR	1/24/2026 10:59 PM
11	including contralateral lateral weight bearing XR (full ext)	1/21/2026 3:14 AM

ACLSG 2026 Biennial Survey Brazil

12	Ultrasound	1/20/2026 11:28 PM
13	stress x ray	1/20/2026 3:39 PM
14	If revision - full series XR including long lateral tibia, Long limb, and CT	1/20/2026 11:15 AM
15	No other imaging	1/20/2026 10:25 AM
16	None	1/20/2026 10:25 AM
17	None	1/20/2026 10:19 AM
18	WB xray	1/20/2026 10:14 AM
19	none	1/20/2026 10:13 AM

Q12 Do you have an upper age limit on patients that you will perform an ACL surgery?


Answered: 116 Skipped: 2



ANSWER CHOICES	RESPONSES	
Yes	2.59%	3
No	97.41%	113
TOTAL		116

Q13 Is there a role for non-operative treatment of ACL injuries in higher-level athletes (Tegner 8–10)?


Answered: 115 Skipped: 3



ANSWER CHOICES	RESPONSES	
Yes	19.13%	22
No	80.87%	93
TOTAL		115

Q14 Is there a role for non-operative treatment of ACL injuries in moderate-level athletes (Tegner 6–7)?


Answered: 116 Skipped: 2



ANSWER CHOICES	RESPONSES	
Yes	47.41%	55
No	52.59%	61
TOTAL		116

Q15 Is there a role for non-operative treatment of ACL injuries in low-impact athletes (Tegner 3–5)?


Answered: 116 Skipped: 2



ANSWER CHOICES	RESPONSES	
Yes	91.38%	106
No	8.62%	10
TOTAL		116

Q16 Is there a role for primary repair of the ACL (Sherman type 1 or 2)?


Answered: 116 Skipped: 2



ANSWER CHOICES	RESPONSES	
Yes	50.86%	59
No	49.14%	57
TOTAL		116

Q17 Is there any role for primary repair of a midsubstance ACL tear (Sherman type 3 or 4)?


Answered: 116 Skipped: 2



ANSWER CHOICES	RESPONSES	
Yes	6.03%	7
No	93.97%	109
TOTAL		116

Q18 How often do you perform ACL repair in your practice?


Answered: 115 Skipped: 3



	ALWAYS	USUALLY	SOMETIMES	RARELY	NEVER	TOTAL	WEIGHTED AVERAGE
(no label)	0.00%	1.74%	9.57%	38.26%	50.43%	115	4.37
	0	2	11	44	58		

Q19 Please select the primary repair technique you most often utilize:

Answered: 104 Skipped: 14




ANSWER CHOICES	RESPONSES	
BEAR (Bridge-enhanced ACL Restoration)	5.77%	6
Proximal repair alone	19.23%	20
Proximal repair with internal brace	24.04%	25
I do NOT perform primary repair	46.15%	48
Other (please specify)	4.81%	5
TOTAL		104

#	OTHER (PLEASE SPECIFY)	DATE
1	Proximal repair and LEat	1/30/2026 9:06 PM
2	I totally stop 3 years ago non acceptable failure	1/21/2026 8:58 AM
3	Hamstring ACL Reconstruction	1/21/2026 4:49 AM
4	I don't perform repair.	1/21/2026 1:54 AM
5	usually soft tissue only tibial avulsion	1/20/2026 11:16 AM

Q20 Is there a role for partial bundle reconstruction (isolated AM or PL)?


Answered: 115 Skipped: 3



ANSWER CHOICES	RESPONSES	
Yes	58.26%	67
No	41.74%	48
TOTAL		115

Q21 How often do you perform partial bundle reconstruction?


Answered: 115 Skipped: 3



	ALWAYS	USUALLY	SOMETIMES	RARELY	NEVER	TOTAL	WEIGHTED AVERAGE
(no label)	0.87%	0.87%	16.52%	43.48%	38.26%		
	1	1	19	50	44	115	4.17

Q22 For primary ACL reconstruction, what type of surgery do you routinely perform?


Answered: 116 Skipped: 2



ANSWER CHOICES	RESPONSES	
Single bundle (>90%)	93.10%	108
Double bundle (>90%)	2.59%	3
Single > double (70/30)	1.72%	2
Double > single (70/30)	1.72%	2
Single = double (50/50)	0.86%	1
TOTAL		116

Q23 Most common graft choice for primary ACL reconstruction:

Answered: 116 Skipped: 2




ACLSG 2026 Biennial Survey Brazil

ANSWER CHOICES	RESPONSES	
BTB autograft	30.17%	35
Hamstring autograft	43.10%	50
Quad autograft with bone	3.45%	4
Quad autograft without bone	18.97%	22
Iliotibial band	0.00%	0
Allograft with bone (BTB, Achilles)	0.00%	0
Soft tissue allograft	0.86%	1
Rectus femoris graft	0.86%	1
Synthetic	0.00%	0
Xenograft	0.00%	0
Other (please specify)	2.59%	3
TOTAL		116

#	OTHER (PLEASE SPECIFY)	DATE
1	Allograft Quad tendon with bone	2/2/2026 9:37 PM
2	according to patients and knee anatomy	2/1/2026 12:56 PM
3	PT soccer, and ACL + MCL; QT dancers; hams for the rest. So PT 60%, QT 10%; hams 30%	1/20/2026 11:18 AM

Q24 Second most common graft choice for primary ACL reconstruction:

Answered: 116 Skipped: 2




ACLSG 2026 Biennial Survey Brazil

ANSWER CHOICES	RESPONSES	
BTB autograft	40.52%	47
Hamstring autograft	26.72%	31
Quad autograft with bone	7.76%	9
Quad autograft without bone	16.38%	19
Iliotibial band	0.86%	1
Allograft with bone (BTB, Achilles)	0.86%	1
Soft tissue allograft	0.86%	1
Rectus femoris graft	4.31%	5
Synthetic	0.00%	0
Xenograft	0.00%	0
Other (please specify)	1.72%	2
TOTAL		116

#	OTHER (PLEASE SPECIFY)	DATE
1	according to patients and knee anatomy	2/1/2026 12:56 PM
2	see above - hams	1/20/2026 11:18 AM

Q25 What graft choice do you think you will use most often 10 years from now?

Answered: 116 Skipped: 2




ACLSG 2026 Biennial Survey Brazil

ANSWER CHOICES	RESPONSES	
BTB autograft	31.03%	36
Hamstring autograft	29.31%	34
Quad autograft with bone	4.31%	5
Quad autograft without bone	24.14%	28
Iliotibial band	0.00%	0
Allograft with bone (BTB, Achilles)	0.86%	1
Soft tissue allograft	0.86%	1
Rectus femoris graft	4.31%	5
Synthetic	0.00%	0
Xenograft	1.72%	2
Other (please specify)	3.45%	4
TOTAL		116

#	OTHER (PLEASE SPECIFY)	DATE
1	according to patients and knee anatomy	2/1/2026 12:56 PM
2	I	1/26/2026 1:14 PM
3	Retired	1/20/2026 11:30 PM
4	see above - probably PT (though I will be retired by then!)	1/20/2026 11:18 AM

Q26 Do you use allograft in your practice?


Answered: 116 Skipped: 2



ANSWER CHOICES	RESPONSES	
Yes	64.66%	75
No	35.34%	41
TOTAL		116

Q27 Do you think non-irradiated (or low-dose irradiated <2.2 Mrad) age-matched allograft ACL performs similarly to autograft ACL in an under-21 high-level athlete?


Answered: 116 Skipped: 2



ANSWER CHOICES	RESPONSES
Yes	4.31% 5
No	95.69% 111
TOTAL	116

Q28 Do you think non-irradiated (or low-dose irradiated <2.2 Mrad) age-matched allograft ACL performs similarly to autograft ACL in a ≥40-year-old recreational athlete?


Answered: 116 Skipped: 2



ANSWER CHOICES	RESPONSES	
Yes	61.21%	71
No	38.79%	45
TOTAL		116

Q29 For revision ACL reconstruction, what type of surgery do you routinely perform?


Answered: 116 Skipped: 2



ANSWER CHOICES	RESPONSES	
Single bundle (>90%)	96.55%	112
Double bundle (>90%)	0.00%	0
Single > double (70/30)	2.59%	3
Double > single (70/30)	0.00%	0
Single = double (50/50)	0.86%	1
TOTAL		116

Q30 What is your most common graft choice for revision ACL reconstruction?

Answered: 116 Skipped: 2




ACLSG 2026 Biennial Survey Brazil

ANSWER CHOICES	RESPONSES	
BTB autograft	50.00%	58
Hamstring autograft	4.31%	5
Quad autograft with bone	11.21%	13
Quad autograft without bone	20.69%	24
Iliotibial band	0.00%	0
Allograft with bone	4.31%	5
Soft tissue allograft	2.59%	3
Rectus femoris graft	4.31%	5
Synthetic	0.00%	0
Xenograft	0.00%	0
Other (please specify)	2.59%	3
TOTAL		116

#	OTHER (PLEASE SPECIFY)	DATE
1	depends on what was used during primary	1/31/2026 5:47 AM
2	ASTQ but if previously used or bone loss, then. B-PT-B	1/26/2026 2:24 PM
3	Achilles allograft no bone	1/21/2026 2:47 AM

Q31 What is your preference regarding peripheral nerve blocks for ACL surgery?

Answered: 112 Skipped: 6




ANSWER CHOICES	RESPONSES	
No block	33.93%	38
Femoral block	15.18%	17
Popliteal (iPACK) block	3.57%	4
Adductor block	25.89%	29
Combination block	15.18%	17
Other (please specify)	6.25%	7
TOTAL		112

#	OTHER (PLEASE SPECIFY)	DATE
1	iPACK + geniculates	2/1/2026 12:59 PM
2	Only if really needed	1/30/2026 6:20 PM
3	Tissue block with pericapsular solution	1/30/2026 5:38 PM
4	Local lock	1/26/2026 1:16 PM
5	Local	1/26/2026 9:55 AM
6	Adductor block routinely. Adductor block + lateral femoral cutaneous nerve block when LET performed.	1/20/2026 11:41 PM

Q32 What is your preference regarding tourniquet use during ACL surgery?


Answered: 112 Skipped: 6



ANSWER CHOICES		RESPONSES	
No tourniquet		18.75%	21
Tourniquet used during harvest of graft only		8.04%	9
Tourniquet used through the entire case		73.21%	82
TOTAL			112

Q33 Regarding adult single-bundle ACL reconstruction, where do you prefer to place your femoral tunnel?

Answered: 112 Skipped: 6




ANSWER CHOICES	RESPONSES	
Central	28.57%	32
AM	48.21%	54
PL	5.36%	6
Isometric	11.61%	13
Other (please specify)	6.25%	7
TOTAL		112

#	OTHER (PLEASE SPECIFY)	DATE
1	central toward am	1/30/2026 7:40 PM
2	over the top. AM for revisions	1/30/2026 4:30 PM
3	out is using an elbow guide with a 7 mm offset placed posterior to the condyle	1/21/2026 3:47 AM
4	rectangular tunnel covering footprint	1/21/2026 3:23 AM
5	More AM than central	1/20/2026 7:44 PM
6	Flat slot	1/20/2026 2:40 PM
7	central to AM	1/20/2026 12:20 PM

Q34 Regarding adult single-bundle ACL reconstruction, where do you prefer to place your tibial tunnel?

Answered: 112 Skipped: 6




ANSWER CHOICES	RESPONSES
Central	66.07% 74
AM	20.54% 23
PL	0.89% 1
Isometric	8.93% 10
Other (please specify)	3.57% 4
TOTAL	112

#	OTHER (PLEASE SPECIFY)	DATE
1	in the middle of the tibial stump	1/21/2026 3:47 AM
2	rectangular tunnel covering footprint	1/21/2026 3:23 AM
3	Depends on graft. BTB more AM. QT more central	1/20/2026 7:44 PM
4	Flat c-shape	1/20/2026 2:40 PM

Q35 How do you best find the femoral footprint of the ACL? (Select all that apply)

Answered: 112 Skipped: 6




ANSWER CHOICES	RESPONSES	
Soft tissue remnant preservation	56.25%	63
Bony landmarks	80.36%	90
Fluoroscopy	3.57%	4
Navigation	0.00%	0
Other (please specify)	7.14%	8
Total Respondents: 112		

#	OTHER (PLEASE SPECIFY)	DATE
1	Go over the top	2/1/2026 11:29 PM
2	Aimer	2/1/2026 12:59 PM
3	Ruler	1/31/2026 2:41 AM
4	Ruler	1/31/2026 1:54 AM
5	Femoral guide	1/30/2026 5:27 PM
6	Measure the condyle with a ruler	1/20/2026 10:18 AM
7	posterior horn lateral meniscus	1/20/2026 10:13 AM
8	posterior horn of the lateral meniscus	1/20/2026 9:58 AM

Q36 How do you routinely drill your femoral tunnel?


Answered: 112 Skipped: 6



ANSWER CHOICES	RESPONSES	
Transtibial	2.68%	3
AM portal	77.68%	87
Two-incision	5.36%	6
Outside-in (Retrocutter)	14.29%	16
No drilling -> over-the-top	0.00%	0
TOTAL		112

Q37 How do you routinely drill your tibial tunnel?

Answered: 112 Skipped: 6




ANSWER CHOICES	RESPONSES
Anterograde full tunnel	83.04% 93
Retrograde full tunnel	8.93% 10
Retrograde socket	7.14% 8
Other (please specify)	0.89% 1
TOTAL	112

#	OTHER (PLEASE SPECIFY)	DATE
1	x	2/2/2026 3:06 AM

Q38 How do you routinely fix the femoral tunnel?


Answered: 112 Skipped: 6



ANSWER CHOICES	RESPONSES	
Metal interference screw	17.86%	20
Bioabsorbable interference screw	10.71%	12
PEEK interference screw	6.25%	7
Bio-integrative screw	0.00%	0
Cortical suspensory fixation	58.93%	66
Aperture and suspensory fixation	4.46%	5
Suture over button/post	1.79%	2
TOTAL		112

Q39 How do you routinely fix the tibial tunnel?


Answered: 112 Skipped: 6



ANSWER CHOICES	RESPONSES
Metal interference screw	17.86% 20
Bioabsorbable interference screw	25.00% 28
PEEK interference screw	13.39% 15
Bio-integrative screw	3.57% 4
Cortical suspensory fixation	21.43% 24
Aperture and suspensory fixation	5.36% 6
Suture over button/post	13.39% 15
TOTAL	112

Q40 How do you routinely tension your single-bundle ACL reconstruction?

Answered: 112 Skipped: 6




ACLSG 2026 Biennial Survey Brazil

ANSWER CHOICES	RESPONSES	
Maximum manual pull at full hyperextension	11.61%	13
Maximum manual pull at 0°	17.86%	20
Maximum manual pull at 5–30°	38.39%	43
Submaximal manual pull at full hyperextension	0.89%	1
Submaximal manual pull at 0°	4.46%	5
Submaximal manual pull at 5–30°	6.25%	7
Graft tensioning device at full hyperextension	0.89%	1
Graft tensioning device at 0°	3.57%	4
Graft tensioning device at 5–30°	6.25%	7
Other (please specify)	9.82%	11
TOTAL		112

#	OTHER (PLEASE SPECIFY)	DATE
1	x	2/2/2026 3:06 AM
2	Hamstring at 90 and btb at 0-30	1/31/2026 2:41 AM
3	90	1/31/2026 12:09 AM
4	Depends on graft isometry	1/30/2026 11:20 PM
5	Max man at 90 degrees	1/30/2026 11:04 PM
6	isometric position	1/25/2026 6:44 AM
7	Varies based on contralateral knee translation on KT. If contralateral knee is relatively loose then tension in full ext/hyperextension. If contralateral is relatively tight then tension in 20 degrees of flexion	1/24/2026 1:04 PM
8	90	1/23/2026 9:31 AM
9	PT /QT max tension at 10 deg / hams max tension at 45-60 deg	1/20/2026 1:39 PM
10	Check isometric property of graft and patients degree of recurvatum - usually fix close to extension, but case-based.	1/20/2026 12:20 PM
11	90 degrees	1/20/2026 10:18 AM

Q41 Do you check the pivot shift in the operating room after ACL reconstruction?


Answered: 112 Skipped: 6



ANSWER CHOICES	RESPONSES	
Yes	60.71%	68
No	39.29%	44
TOTAL		112

Q42 How often do you use biologics (PRP, BMAC) during primary ACL reconstruction?


Answered: 112 Skipped: 6



ANSWER CHOICES	RESPONSES	
Always	1.79%	2
Often	3.57%	4
Sometimes	2.68%	3
Rarely	20.54%	23
Never	71.43%	80
TOTAL		112

Q43 Do you believe that remnant preservation is important?


Answered: 112 Skipped: 6



ANSWER CHOICES	RESPONSES	
Yes	62.50%	70
No	37.50%	42
TOTAL		112

Q44 How often do you perform remnant preservation in your practice?


Answered: 112 Skipped: 6



ANSWER CHOICES	RESPONSES	
Always	17.86%	20
Usually	31.25%	35
Sometimes	25.00%	28
Rarely	12.50%	14
Never	13.39%	15
TOTAL		112

Q45 Is there a role for internal bracing in ACL reconstruction?


Answered: 112 Skipped: 6



ANSWER CHOICES	RESPONSES
Yes	20.54% 23
No	79.46% 89
TOTAL	112

Q46 How often do you use internal bracing in ACL reconstruction?


Answered: 112 Skipped: 6



ANSWER CHOICES	RESPONSES	
Always	5.36%	6
Usually	0.00%	0
Sometimes	5.36%	6
Rarely	17.86%	20
Never	71.43%	80
TOTAL		112

Q47 Do you perform pediatric ACL surgery (<14 years old) in your practice?


Answered: 112 Skipped: 6



ANSWER CHOICES	RESPONSES	
Yes	79.46%	89
No	20.54%	23
TOTAL		112

Q48 Is there a role for delayed surgical treatment of ACL injuries in children without meniscal or chondral injury?


Answered: 111 Skipped: 7



ANSWER CHOICES	RESPONSES	
Yes	54.95%	61
No	45.05%	50
TOTAL		111

Q49 What is the graft choice you use most commonly for pediatric ACL reconstruction in a patient with more than 5 years of bone growth remaining?

Answered: 111 Skipped: 7




ACLSG 2026 Biennial Survey Brazil

ANSWER CHOICES	RESPONSES	
N/A (I do not perform pediatric ACL surgery)	16.22%	18
BTB autograft	0.00%	0
Hamstring autograft	54.05%	60
Quad autograft with bone	0.00%	0
Quad autograft without bone	19.82%	22
Iliotibial band	5.41%	6
Contralateral autograft	0.00%	0
Allograft with bone	0.00%	0
Soft tissue allograft	1.80%	2
Rectus femoris graft	0.90%	1
Synthetic	0.00%	0
Xenograft	0.00%	0
Other (please specify)	1.80%	2
TOTAL		111

#	OTHER (PLEASE SPECIFY)	DATE
1	Living Donor Hamstring	1/31/2026 12:16 PM
2	I do not do paediatric ACL recons.	1/31/2026 12:28 AM

Q50 What is the graft choice you use most commonly for pediatric ACL reconstruction in a patient with 3 years of bone growth remaining?

Answered: 110 Skipped: 8




ACLSG 2026 Biennial Survey Brazil

ANSWER CHOICES	RESPONSES	
N/A (I do not perform pediatric ACL surgery)	15.45%	17
BTB autograft	0.91%	1
Hamstring autograft	53.64%	59
Quad autograft with bone	0.91%	1
Quad autograft without bone	21.82%	24
Iliotibial band	2.73%	3
Allograft with bone	0.00%	0
Soft tissue allograft	1.82%	2
Rectus femoris graft	1.82%	2
Synthetic	0.00%	0
Xenograft	0.00%	0
Other (please specify)	0.91%	1
TOTAL		110

#	OTHER (PLEASE SPECIFY)	DATE
1	As above	1/31/2026 12:28 AM

Q51 What surgical technique do you perform the majority of the time for a patient with 3 years of bone growth remaining?

Answered: 110 Skipped: 8




ANSWER CHOICES	RESPONSES
N/A (I do not perform pediatric ACL surgery)	18.18% 20
Physeal sparing over femur and tibia	10.91% 12
Physeal sparing all epiphyseal fixation femur/tibia	6.36% 7
Partial transphyseal (femur epiphysis or over the top, transphyseal tibia)	21.82% 24
Transphyseal on both	40.91% 45
Other (please specify)	1.82% 2
TOTAL	110

#	OTHER (PLEASE SPECIFY)	DATE
1	As above	1/31/2026 12:28 AM
2	physeal sparing femur, transphyseal tibia. In youngest physeal sparing tibia as well.	1/20/2026 12:22 PM

Q52 How do you determine bone growth/growth remaining? (select all that apply)

Answered: 106 Skipped: 12




ANSWER CHOICES	RESPONSES	
Hand XR	40.57%	43
Knee XR	43.40%	46
Knee MRI	51.89%	55
Tanner Stage	35.85%	38
Other (please specify)	3.77%	4
Total Respondents: 106		

#	OTHER (PLEASE SPECIFY)	DATE
1	As above. If the answer to question 47 is no - why more questions?	1/31/2026 12:28 AM
2	Patient history, growth dynamics, biological age, parents' heights.	1/26/2026 9:47 AM
3	parents hight	1/22/2026 5:12 AM
4	Pelvis XR	1/21/2026 9:18 PM

Q53 Do you believe there is a selective role for extra-articular augmentation (LET/ALL reconstruction/modified Ellison) during primary ACL reconstruction?


Answered: 111 Skipped: 7



ANSWER CHOICES	RESPONSES	
Yes	87.39%	97
No	12.61%	14
TOTAL		111

Q54 How often do you use lateral extra-articular augmentation (LET/ALL reconstruction/modified Ellison) during primary ACL reconstruction?


Answered: 111 Skipped: 7



	ALWAYS	USUALLY	SOMETIMES	RARELY	NEVER	TOTAL	WEIGHTED AVERAGE
(no label)	9.01% 10	27.03% 30	45.95% 51	10.81% 12	7.21% 8	111	2.80

Q55 Do you believe there is a selective role for extra-articular augmentation (LET/ALL reconstruction/modified Ellison) during revision ACL reconstruction?


Answered: 111 Skipped: 7



ANSWER CHOICES	RESPONSES	
Yes	93.69%	104
No	6.31%	7
TOTAL		111

Q56 How often do you use extra-articular augmentation (LET/ALL reconstruction/modified Ellison) during revision ACL reconstruction?


Answered: 111 Skipped: 7



	ALWAYS	USUALLY	SOMETIMES	RARELY	NEVER	TOTAL	WEIGHTED AVERAGE
(no label)	44.14% 49	32.43% 36	14.41% 16	4.50% 5	4.50% 5	111	1.93

Q57 For lateral extra-articular augmentation (LET/ALL reconstruction/modified Ellison), my graft of choice is:

Answered: 111 Skipped: 7




ANSWER CHOICES	RESPONSES	
ITB autograft	84.68%	94
Soft tissue allograft	1.80%	2
Soft tissue autograft (other than ITB)	9.01%	10
Other (please specify)	4.50%	5
TOTAL		111

#	OTHER (PLEASE SPECIFY)	DATE
1	The same graft for acl reconstruction	2/1/2026 11:31 PM
2	I do not do either	1/31/2026 12:29 AM
3	n/a	1/30/2026 7:44 PM
4	I don't perform extra-articular augmentation.	1/21/2026 1:59 AM
5	Distal refixation as presented	1/20/2026 11:39 PM

Q58 When performing lateral extra-articular augmentation (LET/ALL reconstruction/modified Ellison), do you think it is important to pass the graft underneath the lateral collateral ligament (LCL)?


Answered: 111 Skipped: 7



ANSWER CHOICES	RESPONSES	
Yes	88.29%	98
No	11.71%	13
TOTAL		111

Q59 For lateral extra-articular augmentation (LET/ALL reconstruction/modified Ellison), where is the best location on the femoral side?

Answered: 111 Skipped: 7




ANSWER CHOICES	RESPONSES	
Posterior/proximal to the LCL	81.98%	91
Anterior/distal to the LCL	5.41%	6
Other (please specify)	12.61%	14
TOTAL		111

#	OTHER (PLEASE SPECIFY)	DATE
1	x	2/2/2026 3:08 AM
2	N/A	1/31/2026 12:29 AM
3	Gerdys	1/30/2026 9:10 PM
4	n/a	1/30/2026 7:44 PM
5	Krackows point	1/30/2026 5:41 PM
6	over the top	1/30/2026 4:33 PM
7	The Ellison is a distal based graft! Otherwise for Lemaire prox and posterior	1/27/2026 6:28 AM
8	Over the lateral epicondyle	1/26/2026 1:19 PM
9	I	1/21/2026 2:51 AM
10	I perform a modified McIntosh procedure. Graft passed under the LCL and fixed proximally on the femur near the intermuscular septum.	1/20/2026 11:44 PM
11	No femoral tunnel	1/20/2026 11:39 PM
12	I think you mean LCL attachment to femur as landmark - I use Lemaire's point or MacIntosh	1/20/2026 1:42 PM
13	proximal/anterior	1/20/2026 10:13 AM

Q60 For ALL reconstruction or modified Ellison, where is the best location on the tibial side?

Answered: 111 Skipped: 7




ANSWER CHOICES	RESPONSES
Midway between fibular head and Gerdy's tubercle	36.04% 40
At Gerdy's tubercle	52.25% 58
Other (please specify)	11.71% 13
TOTAL	111

#	OTHER (PLEASE SPECIFY)	DATE
1	x	2/2/2026 3:08 AM
2	depend on the technique	2/1/2026 1:01 PM
3	N/A	1/31/2026 12:29 AM
4	I do not perform Ellison	1/30/2026 11:07 PM
5	n/a	1/30/2026 7:44 PM
6	I don't do it	1/30/2026 5:30 PM
7	do not perform	1/26/2026 2:28 PM
8	Just below Guillet's tub	1/26/2026 1:19 PM
9	Na	1/21/2026 2:51 AM
10	At side of Segond avulsion in front of Gerdy	1/20/2026 11:39 PM
11	NA	1/20/2026 12:23 PM
12	I don't perform free graft. I use LET	1/20/2026 10:26 AM
13	only use Lemaire	1/20/2026 10:01 AM

Q61 I have been doing _____ anterolateral procedures over the past 5 years


Answered: 111 Skipped: 7



ANSWER CHOICES		RESPONSES	
More		74.77%	83
Less		6.31%	7
Same		18.92%	21
TOTAL			111

Q62 How often are you doing coronal alignment correction during primary ACL reconstruction?


Answered: 111 Skipped: 7



ANSWER CHOICES	RESPONSES
Always	2.70% 3
Usually	0.90% 1
Sometimes	8.11% 9
Rarely	49.55% 55
Never	38.74% 43
TOTAL	111

Q63 Do you think strict coronal plane alignment correction (HTO/DFO) is important during revision ACL reconstruction?


Answered: 111 Skipped: 7



ANSWER CHOICES	RESPONSES	
Yes	65.77%	73
No	34.23%	38
TOTAL		111

Q64 Do you believe increased tibial slope plays an important role in the failure of primary ACL reconstruction?


Answered: 112 Skipped: 6



ANSWER CHOICES	RESPONSES	
Yes	90.18%	101
No	9.82%	11
TOTAL		112

Q65 How many slope-decreasing osteotomies (isolated or combined HTO/slope) do you perform in a year?


Answered: 112 Skipped: 6



ANSWER CHOICES	RESPONSES	
I have not performed this procedure	28.57%	32
Approx. 1 per quarter (<5 per year)	52.68%	59
Approx. 1 per month (~10-12 per year)	14.29%	16
2-4 per month (~24-48 per year)	1.79%	2
4 per month (>50 per year)	2.68%	3
TOTAL		112

Q66 Would you ever consider a slope reducing osteotomy in the primary setting?


Answered: 79 Skipped: 39



ANSWER CHOICES	RESPONSES	
Yes	54.43%	43
No	45.57%	36
TOTAL		79

Q67 If so, at what degree would you consider it?

Answered: 54 Skipped: 64



ANSWER CHOICES	AVERAGE NUMBER	TOTAL NUMBER	RESPONSES
	16	861	54
Total Respondents: 54			


#		DATE
1	12	2/3/2026 3:29 AM
2	18	2/2/2026 2:44 AM
3	18	2/1/2026 6:59 AM
4	10	2/1/2026 12:10 AM
5	12	1/31/2026 11:39 PM
6	20	1/31/2026 6:57 PM
7	16	1/31/2026 3:08 PM
8	12	1/31/2026 2:52 PM
9	18	1/31/2026 2:05 PM
10	20	1/31/2026 10:48 AM
11	18	1/31/2026 7:18 AM
12	20	1/31/2026 6:58 AM
13	16	1/31/2026 6:36 AM
14	16	1/31/2026 6:06 AM
15	20	1/31/2026 5:52 AM
16	18	1/31/2026 2:35 AM
17	15	1/31/2026 1:57 AM
18	10	1/31/2026 1:14 AM
19	18	1/30/2026 11:25 PM
20	20	1/30/2026 11:08 PM

ACLSG 2026 Biennial Survey Brazil

21	12	1/30/2026 10:06 PM
22	20	1/30/2026 8:14 PM
23	20	1/30/2026 6:31 PM
24	10	1/28/2026 7:15 AM
25	18	1/27/2026 10:21 PM
26	12	1/26/2026 10:30 PM
27	18	1/26/2026 7:23 PM
28	12	1/26/2026 3:21 PM
29	18	1/25/2026 12:22 PM
30	15	1/25/2026 6:47 AM
31	15	1/24/2026 11:10 PM
32	12	1/23/2026 3:57 AM
33	20	1/22/2026 4:18 AM
34	18	1/21/2026 9:20 PM
35	20	1/21/2026 1:25 PM
36	18	1/21/2026 12:05 PM
37	18	1/21/2026 9:04 AM
38	12	1/21/2026 8:03 AM
39	10	1/21/2026 3:32 AM
40	16	1/20/2026 11:46 PM
41	20	1/20/2026 8:37 PM
42	15	1/20/2026 7:48 PM
43	15	1/20/2026 6:38 PM
44	12	1/20/2026 2:45 PM
45	15	1/20/2026 12:56 PM
46	12	1/20/2026 12:03 PM
47	18	1/20/2026 11:41 AM
48	12	1/20/2026 11:40 AM
49	12	1/20/2026 11:36 AM
50	20	1/20/2026 11:33 AM
51	18	1/20/2026 10:38 AM
52	20	1/20/2026 10:22 AM
53	15	1/20/2026 10:13 AM
54	16	1/20/2026 10:02 AM

Q68 At what degree would you consider a slope reducing osteotomy after one failed ACL reconstruction (assuming it was done well the first time)

Answered: 77 Skipped: 41



ANSWER CHOICES	AVERAGE NUMBER	TOTAL NUMBER	RESPONSES
	14	1,050	77
Total Respondents: 77			

#		DATE
1	12	2/3/2026 3:29 AM
2	12	2/2/2026 7:24 AM
3	15	2/2/2026 2:44 AM
4	18	2/1/2026 11:34 PM
5	12	2/1/2026 1:02 PM
6	15	2/1/2026 6:59 AM
7	15	2/1/2026 12:10 AM
8	12	1/31/2026 11:39 PM
9	16	1/31/2026 6:57 PM
10	13	1/31/2026 3:08 PM
11	12	1/31/2026 2:52 PM
12	15	1/31/2026 2:05 PM
13	16	1/31/2026 12:18 PM
14	12	1/31/2026 10:48 AM
15	12	1/31/2026 7:18 AM
16	15	1/31/2026 6:58 AM
17	12	1/31/2026 6:36 AM
18	12	1/31/2026 6:06 AM
19	14	1/31/2026 5:52 AM

ACLSG 2026 Biennial Survey Brazil


20	15	1/31/2026 3:15 AM
21	18	1/31/2026 2:45 AM
22	16	1/31/2026 2:35 AM
23	12	1/31/2026 1:57 AM
24	14	1/31/2026 1:16 AM
25	14	1/31/2026 12:09 AM
26	14	1/30/2026 11:25 PM
27	15	1/30/2026 11:08 PM
28	12	1/30/2026 10:06 PM
29	14	1/30/2026 8:14 PM
30	14	1/30/2026 6:31 PM
31	14	1/30/2026 6:22 PM
32	13	1/30/2026 5:43 PM
33	11	1/30/2026 5:33 PM
34	12	1/30/2026 5:19 PM
35	16	1/28/2026 7:15 AM
36	12	1/27/2026 10:21 PM
37	12	1/27/2026 10:07 PM
38	12	1/27/2026 12:12 AM
39	12	1/26/2026 10:30 PM
40	12	1/26/2026 7:23 PM
41	12	1/26/2026 3:21 PM
42	17	1/26/2026 12:31 PM
43	12	1/26/2026 10:25 AM
44	15	1/26/2026 9:51 AM
45	15	1/25/2026 3:21 PM
46	15	1/25/2026 12:22 PM
47	12	1/25/2026 6:47 AM
48	14	1/24/2026 11:10 PM
49	15	1/23/2026 3:57 AM
50	18	1/22/2026 4:18 AM
51	18	1/21/2026 9:23 PM
52	12	1/21/2026 9:20 PM
53	13	1/21/2026 1:25 PM
54	15	1/21/2026 12:05 PM
55	15	1/21/2026 9:04 AM
56	12	1/21/2026 8:03 AM
57	12	1/21/2026 6:27 AM

ACLSG 2026 Biennial Survey Brazil

58	15	1/21/2026 3:32 AM
59	14	1/20/2026 11:46 PM
60	12	1/20/2026 8:37 PM
61	12	1/20/2026 7:48 PM
62	12	1/20/2026 6:38 PM
63	12	1/20/2026 2:45 PM
64	15	1/20/2026 1:57 PM
65	15	1/20/2026 1:44 PM
66	12	1/20/2026 12:56 PM
67	14	1/20/2026 12:33 PM
68	12	1/20/2026 12:03 PM
69	13	1/20/2026 11:41 AM
70	12	1/20/2026 11:41 AM
71	12	1/20/2026 11:36 AM
72	15	1/20/2026 11:33 AM
73	14	1/20/2026 11:18 AM
74	14	1/20/2026 10:38 AM
75	15	1/20/2026 10:22 AM
76	12	1/20/2026 10:13 AM
77	12	1/20/2026 10:02 AM

Q69 At what degree would you consider a slope reducing osteotomy after more than one failed ACL reconstruction (assuming it was done well)

Answered: 77 Skipped: 41



ANSWER CHOICES	AVERAGE NUMBER	TOTAL NUMBER	RESPONSES
	13	977	77
Total Respondents: 77			

#		DATE
1	12	2/3/2026 3:29 AM
2	12	2/2/2026 7:24 AM
3	12	2/2/2026 2:44 AM
4	14	2/1/2026 11:34 PM
5	12	2/1/2026 1:02 PM
6	12	2/1/2026 6:59 AM
7	13	2/1/2026 12:10 AM
8	12	1/31/2026 11:39 PM
9	12	1/31/2026 6:57 PM
10	13	1/31/2026 3:08 PM
11	11	1/31/2026 2:52 PM
12	12	1/31/2026 2:05 PM
13	16	1/31/2026 12:18 PM
14	12	1/31/2026 10:48 AM
15	12	1/31/2026 7:18 AM
16	12	1/31/2026 6:36 AM
17	12	1/31/2026 6:06 AM
18	14	1/31/2026 5:52 AM
19	15	1/31/2026 3:15 AM

ACLSG 2026 Biennial Survey Brazil


20	15	1/31/2026 2:45 AM
21	14	1/31/2026 2:35 AM
22	12	1/31/2026 1:57 AM
23	12	1/31/2026 1:16 AM
24	14	1/31/2026 12:09 AM
25	14	1/30/2026 11:25 PM
26	12	1/30/2026 11:08 PM
27	12	1/30/2026 10:06 PM
28	12	1/30/2026 8:14 PM
29	12	1/30/2026 6:31 PM
30	14	1/30/2026 6:22 PM
31	13	1/30/2026 5:43 PM
32	10	1/30/2026 5:33 PM
33	12	1/30/2026 5:19 PM
34	18	1/30/2026 4:35 PM
35	16	1/28/2026 7:15 AM
36	12	1/27/2026 10:21 PM
37	14	1/27/2026 10:07 PM
38	12	1/27/2026 12:12 AM
39	10	1/26/2026 10:30 PM
40	12	1/26/2026 7:23 PM
41	12	1/26/2026 3:21 PM
42	20	1/26/2026 12:31 PM
43	12	1/26/2026 10:25 AM
44	12	1/26/2026 9:51 AM
45	12	1/25/2026 3:21 PM
46	18	1/25/2026 12:22 PM
47	10	1/25/2026 6:47 AM
48	13	1/24/2026 11:10 PM
49	15	1/23/2026 3:57 AM
50	14	1/22/2026 4:18 AM
51	12	1/21/2026 9:23 PM
52	12	1/21/2026 9:20 PM
53	13	1/21/2026 1:25 PM
54	15	1/21/2026 12:05 PM
55	12	1/21/2026 9:04 AM
56	12	1/21/2026 8:03 AM
57	12	1/21/2026 6:27 AM

ACLSG 2026 Biennial Survey Brazil

58	12	1/21/2026 3:32 AM
59	14	1/20/2026 11:46 PM
60	12	1/20/2026 8:37 PM
61	12	1/20/2026 7:48 PM
62	10	1/20/2026 6:38 PM
63	12	1/20/2026 2:45 PM
64	12	1/20/2026 1:57 PM
65	11	1/20/2026 1:44 PM
66	12	1/20/2026 12:56 PM
67	12	1/20/2026 12:33 PM
68	12	1/20/2026 12:03 PM
69	12	1/20/2026 11:41 AM
70	12	1/20/2026 11:41 AM
71	12	1/20/2026 11:36 AM
72	12	1/20/2026 11:33 AM
73	12	1/20/2026 11:18 AM
74	12	1/20/2026 10:38 AM
75	12	1/20/2026 10:22 AM
76	12	1/20/2026 10:13 AM
77	12	1/20/2026 10:02 AM

Q70 How do you measure your tibial slope when making these decisions? (select all that apply)

Answered: 79 Skipped: 39




ANSWER CHOICES	RESPONSES	
Standard lateral knee XR	32.91%	26
Full length lateral tibial XR	72.15%	57
MRI	11.39%	9
CT	24.05%	19
Other (please specify)	1.27%	1
Total Respondents: 79		

#	OTHER (PLEASE SPECIFY)	DATE
1	3D planning combining EOS scanner CT	1/30/2026 6:31 PM

Q71 In the past 5 years, the number of concomitant meniscus repairs I perform alongside ACL reconstruction has:


Answered: 110 Skipped: 8



ANSWER CHOICES	RESPONSES	
Remained the same	44.55%	49
Increased	53.64%	59
Decreased	1.82%	2
TOTAL		110

Q72 Do you believe medial and/or lateral meniscal deficiency plays an important role in failure of primary ACL reconstruction?


Answered: 110 Skipped: 8



ANSWER CHOICES	RESPONSES	
Yes	92.73%	102
No	7.27%	8
TOTAL		110

Q73 In the past 2 years, have you performed either a meniscal substitution (i.e. CMI, Actifit) or meniscal allograft transplantation procedure?


Answered: 110 Skipped: 8



ANSWER CHOICES	RESPONSES	
Yes	49.09%	54
No	50.91%	56
TOTAL		110

Q74 Would you return an athlete to impact sport after combined ACL reconstruction and meniscus transplant?


Answered: 110 Skipped: 8



ANSWER CHOICES	RESPONSES	
Yes	55.45%	61
No	44.55%	49
TOTAL		110

Q75 Do you routinely look for meniscus ramp lesions during ACL reconstruction?


Answered: 110 Skipped: 8



ANSWER CHOICES	RESPONSES	
Always	79.09%	87
Usually	13.64%	15
Sometimes	2.73%	3
Rarely	0.00%	0
Never	0.91%	1
Only if clinical suspicion based on patient factors and/or MRI findings	3.64%	4
TOTAL		110

Q76 The approximate percentage of primary ACL reconstructions in your practice that require concomitant meniscus ramp repair is:


Answered: 110 Skipped: 8



ANSWER CHOICES	RESPONSES	
0% (I do not fix ramp lesions)	2.73%	3
<10%	36.36%	40
10-20%	45.45%	50
30-50%	12.73%	14
50%	2.73%	3
TOTAL		110

Q77 The approximate percentage of revision ACL reconstructions in your practice that require concomitant meniscus ramp repair is:


Answered: 110 Skipped: 8



ANSWER CHOICES	RESPONSES	
0% (I do not fix ramp lesions)	2.73%	3
<10%	30.00%	33
10-20%	39.09%	43
30-50%	23.64%	26
50%	4.55%	5
TOTAL		110

Q78 When fixing a meniscus ramp lesion, I prefer to utilize:

Answered: 110 Skipped: 8




ANSWER CHOICES	RESPONSES	
Suture fixation via posteromedial working portal	28.18%	31
All-inside device visualizing repair from intra-articular notch	62.73%	69
Inside-out stitches	5.45%	6
Other (please specify)	3.64%	4
TOTAL		110

#	OTHER (PLEASE SPECIFY)	DATE
1	x	2/2/2026 3:12 AM
2	N/A	1/31/2026 12:31 AM
3	A combination of the above	1/27/2026 6:30 AM
4	I do not fix ramp lesions	1/21/2026 6:29 AM

Q79 How often do you perform a cartilage procedure (other than chondroplasty) during primary ACL reconstruction?


Answered: 110 Skipped: 8



	ALWAYS	USUALLY	SOMETIMES	RARELY	NEVER	TOTAL	WEIGHTED AVERAGE
(no label)	1.82% 2	3.64% 4	24.55% 27	62.73% 69	7.27% 8	110	3.70

Q80 How often do you perform a cartilage procedure (other than chondroplasty) during revision ACL reconstruction?


Answered: 110 Skipped: 8



	ALWAYS	USUALLY	SOMETIMES	RARELY	NEVER	TOTAL	WEIGHTED AVERAGE
(no label)	1.82% 2	3.64% 4	51.82% 57	40.00% 44	2.73% 3	110	3.38

Q81 When indicated, which cartilage restoration procedure do you most often use in combination with ACL reconstruction?

Answered: 110 Skipped: 8



ANSWER CHOICES	RESPONSES
Microfracture	31.82% 35
Microfracture Plus	13.64% 15
OAT autograft	26.36% 29
Cell-based repair (MACI, BMAC/scaffold, particulated juvenile, etc.)	9.09% 10
Osteochondral allograft	9.09% 10
Other (please specify)	10.00% 11
TOTAL	110


#	OTHER (PLEASE SPECIFY)	DATE
1	Articular Cartilage Paste Grafting	2/2/2026 9:46 PM
2	Minced Cartilage	2/2/2026 7:28 AM
3	x	2/2/2026 3:12 AM
4	Oateochondroplasty	1/31/2026 12:20 PM
5	n/a	1/30/2026 7:46 PM
6	Very rarely done in this setting	1/30/2026 6:24 PM
7	osteocondral fixation	1/30/2026 4:45 PM

ACLSG 2026 Biennial Survey Brazil

8	Condoplasty	1/27/2026 6:30 AM
9	I refer to my partners if need chondral allograft	1/26/2026 2:33 PM
10	Autocart	1/20/2026 12:57 PM
11	minced cartilage	1/20/2026 10:05 AM

Q82 In the past 5 years, the number of posterolateral corner surgeries that I perform alongside ACL reconstruction has:


Answered: 110 Skipped: 8



ANSWER CHOICES	RESPONSES	
Remained the same	76.36%	84
Increased	12.73%	14
Decreased	10.91%	12
TOTAL		110

Q83 MCL SPOTLIGHT: In the past 5 years, the number of medial collateral ligament surgeries that I perform alongside ACL reconstruction has:


Answered: 110 Skipped: 8



ANSWER CHOICES	RESPONSES	
Increased	44.55%	49
Decreased	3.64%	4
Remained the same	51.82%	57
TOTAL		110

Q84 MCL SPOTLIGHT: My preferred surgical technique for addressing medial sided knee laxity that is persistent at six weeks post ACL/MCL injury involves:

Answered: 110 Skipped: 8



ANSWER CHOICES	RESPONSES	
Repair alone	17.27%	19
Repair with augmentation (ie internal brace)	19.09%	21
Reconstruction alone	42.73%	47
Reconstruction with augmentation (ie internal brace)	10.00%	11
Other (please specify)	10.91%	12
TOTAL		110


#	OTHER (PLEASE SPECIFY)	DATE
1	repair + reconstruction	2/1/2026 1:05 PM
2	augment with flexible synthetic	1/31/2026 2:07 PM
3	Slide with bone	1/31/2026 3:17 AM
4	Depends on degree of laxity and patient characteristics	1/31/2026 2:59 AM
5	N/A	1/31/2026 12:31 AM
6	Pie crust for acute with mild MCL laxity; Repair if acute and more laxity	1/30/2026 8:18 PM
7	n/a	1/30/2026 7:46 PM
8	Reconstruction and repair	1/30/2026 5:45 PM
9	Patella tendon	1/23/2026 9:34 AM

ACLSG 2026 Biennial Survey Brazil

10	repair plus reconstruction with SIC synthetic graft	1/20/2026 1:47 PM
11	Repair with gracilis augmentation	1/20/2026 12:36 PM
12	Repair (if possible) + reconstruction	1/20/2026 10:13 AM

Q85 MCL SPOTLIGHT: My preferred medial sided reconstruction technique is:

Answered: 110 Skipped: 8



ANSWER CHOICES	RESPONSES	
sMCL + POL (as described by LaPrade)	20.91%	23
sMCL only	18.18%	20
Short isometric construct	17.27%	19
Two strands: sMCL and anteromedial strands	30.91%	34
Minimally invasive internal brace	3.64%	4
Other (please specify)	9.09%	10
TOTAL		110


#	OTHER (PLEASE SPECIFY)	DATE
1	depend on the type and degree of medial instability	2/1/2026 1:05 PM
2	N/A	1/31/2026 12:31 AM
3	Na	1/31/2026 12:12 AM
4	It depends by the pattern of abnormal laxity. If there is AMRI sMCL and AM strand; if there is PMRI sMCL and POL.	1/30/2026 11:12 PM
5	n/a	1/30/2026 7:46 PM
6	Don't perform	1/23/2026 9:34 AM

ACLSG 2026 Biennial Survey Brazil

7	superficial + deep MCL + POL using hamstrings	1/21/2026 3:52 AM
8	Depends if dMCL or dMCL problem	1/21/2026 2:53 AM
9	Depending on the type of injury and instability: sMCL+POL or sMCL+AM	1/20/2026 12:04 PM
10	Depending on the instability pattern. If anteromedial, sMCL + anteromedial; if posteromedial sMCL + POL	1/20/2026 10:13 AM

Q86 MCL SPOTLIGHT: My preferred graft for medial sided reconstruction is:

Answered: 110 Skipped: 8



ANSWER CHOICES	RESPONSES	
Hamstring autograft	43.64%	48
Hamstring allograft	22.73%	25
Achilles allograft	12.73%	14
Synthetic	8.18%	9
Other (please specify)	12.73%	14
TOTAL		110


#	OTHER (PLEASE SPECIFY)	DATE
1	11 mm Tib Ant Allograft	1/31/2026 3:11 PM
2	Tibialis ant. allograft	1/31/2026 2:57 PM
3	Slide with bone	1/31/2026 3:17 AM
4	N/A	1/31/2026 12:31 AM
5	Na	1/31/2026 12:12 AM
6	Flattened Tibialis allograft	1/30/2026 11:27 PM
7	n/a	1/30/2026 7:46 PM
8	tibialis anterior or peroeneus longus allograft	1/30/2026 4:45 PM
9	Peroneus longus split graft	1/27/2026 10:25 PM
10	No	1/23/2026 9:34 AM

ACLSG 2026 Biennial Survey Brazil

11	Réctus Femoris	1/21/2026 9:06 AM
12	PEroneus longus allograft	1/20/2026 12:57 PM
13	Peroneus longus Allograft	1/20/2026 12:04 PM
14	Anterior tibialis allograft	1/20/2026 11:43 AM

Q87 Do you use an early post-operative brace following primary ACL reconstruction (without meniscal, chondral or collateral ligament work)?


Answered: 109 Skipped: 9



ANSWER CHOICES	RESPONSES	
Yes	44.95%	49
No	55.05%	60
TOTAL		109

Q88 Do you use an early post-operative brace following primary ACL reconstruction (with meniscal, chondral or collateral ligament work)?


Answered: 109 Skipped: 9



ANSWER CHOICES	RESPONSES	
Yes	79.82%	87
No	20.18%	22
TOTAL		109

Q89 When do you initiate stationary biking after primary ACL reconstruction?

Answered: 109 Skipped: 9



ANSWER CHOICES	RESPONSES	
Less than 2 weeks	17.43%	19
2-4 weeks	36.70%	40
4-6 weeks	36.70%	40
More than 6 weeks	9.17%	10
TOTAL		109

Q90 When do you initiate jogging after primary ACL reconstruction?


Answered: 109 Skipped: 9



ANSWER CHOICES	RESPONSES
Less than 6 weeks	0.92% 1
6 weeks-3 months	17.43% 19
Greater than 3 months	67.89% 74
Greater than 4 months	13.76% 15
TOTAL	109

Q91 When do you initiate lateral movements/agility training after primary ACL reconstruction?


Answered: 109 Skipped: 9



ANSWER CHOICES	RESPONSES
Greater than 6 weeks	3.67% 4
Greater than 3 months	12.84% 14
4-6 months	62.39% 68
Greater than 6 months	21.10% 23
TOTAL	109

Q92 Do you use a functional brace for return to play (RTP) following ACL reconstruction?


Answered: 109 Skipped: 9



ANSWER CHOICES	RESPONSES	
Yes	15.60%	17
No	84.40%	92
TOTAL		109

Q93 Do you think blood flow restriction (BFR) has a selective role in ACL rehabilitation following surgery?


Answered: 109 Skipped: 9



ANSWER CHOICES	RESPONSES	
Yes	62.39%	68
No	37.61%	41
TOTAL		109

Q94 How often do you utilize BFR in your practice?


Answered: 109 Skipped: 9



	ALWAYS	USUALLY	SOMETIMES	RARELY	NEVER	TOTAL	WEIGHTED AVERAGE
(no label)	4.59%	16.51%	28.44%	16.51%	33.94%	109	3.59
	5	18	31	18	37		

Q95 Assuming a patient passes all functional testing, what is the minimum time you would allow return to sport?


Answered: 109 Skipped: 9



ANSWER CHOICES	RESPONSES
4-6 months	1.83% 2
Greater than 6 months	28.44% 31
Greater than 9 months	63.30% 69
Greater than 12 months	6.42% 7
TOTAL	109

Q96 In my practice, the average time until RTP following primary ACL reconstruction is:


Answered: 109 Skipped: 9



ANSWER CHOICES	RESPONSES	
<6 months	0.00%	0
6-9 months	25.69%	28
9-12 months	62.39%	68
Greater than 12 months	11.93%	13
Greater than 24 months	0.00%	0
TOTAL		109

Q97 In my practice, the average time until RTP following revision ACL reconstruction is:


Answered: 109 Skipped: 9



ANSWER CHOICES	RESPONSES	
<6 months	0.00%	0
6-9 months	8.26%	9
9-12 months	49.54%	54
Greater than 12 months	42.20%	46
Greater than 24 months	0.00%	0
TOTAL		109

Q98 What percentage of your ACL patients return to their pre-injury level of sport within 1 year?


Answered: 109 Skipped: 9



ANSWER CHOICES	RESPONSES	
<25%	9.17%	10
25-50%	12.84%	14
50-75%	33.94%	37
>75%	35.78%	39
I do not track this	8.26%	9
TOTAL		109

Q99 What percentage of your ACL patients return to their pre-injury level of sport by 2 years?

Answered: 109 Skipped: 9




ANSWER CHOICES	RESPONSES
<25%	0.92% 1
25-50%	0.92% 1
50-75%	22.94% 25
>75%	58.72% 64
I do not track this	13.76% 15
Other (please specify)	2.75% 3
TOTAL	109

#	OTHER (PLEASE SPECIFY)	DATE
1	Depends if the patient want to return or not	1/31/2026 12:15 AM
2	Depends on patient goal - many do not want to return	1/23/2026 9:37 AM
3	no answers for 93/94 can be trusted unless people produce actual data. MOON says 2/3rds. I would not trust survey answers on this.	1/20/2026 10:27 AM

Q100 Do you believe ACL reconstruction reduces the risk of knee osteoarthritis?


Answered: 109 Skipped: 9



ANSWER CHOICES	RESPONSES	
Yes	75.23%	82
No	24.77%	27
TOTAL		109

Q101 Which of the following are important contributors to osteoarthritis following ACL injury and surgery? (Select all that apply)

Answered: 109 Skipped: 9



ANSWER CHOICES	RESPONSES
Chondral status at surgery	93.58% 102
Meniscal status at surgery	98.17% 107
Graft choice	22.94% 25
Post-operative loss of terminal extension	59.63% 65
Persistent or recurrent knee laxity	73.39% 80
Age	49.54% 54
BMI	71.56% 78
Return to pivoting sport	55.96% 61
Other (please specify)	6.42% 7
Total Respondents: 109	


#	OTHER (PLEASE SPECIFY)	DATE
---	------------------------	------

ACLSG 2026 Biennial Survey Brazil

1	trauma at initial injury	2/2/2026 9:48 PM
2	gender	1/31/2026 3:01 PM
3	Inflammatype	1/31/2026 2:02 AM
4	poor biomechanics	1/26/2026 1:26 PM
5	gender	1/22/2026 5:19 AM
6	alignment	1/20/2026 3:56 PM
7	postop infection, genetics	1/20/2026 10:27 AM

Q102 How often do you use biologics (PRP, BMAC) in the office setting following ACL reconstruction?


Answered: 109 Skipped: 9



	ALWAYS	OFTEN	SOMETIMES	RARELY	NEVER	TOTAL	WEIGHTED AVERAGE
(no label)	1.83% 2	5.50% 6	8.26% 9	31.19% 34	53.21% 58	109	4.28

Q103 If you had an isolated ACL tear (no meniscus tear), would you undergo surgical reconstruction?


Answered: 108 Skipped: 10



ANSWER CHOICES	RESPONSES	
Yes	67.59%	73
No	32.41%	35
TOTAL		108

Q104 If you were to undergo ACL reconstruction, which graft would you want the surgeon to use?

Answered: 108 Skipped: 10




ACLSG 2026 Biennial Survey Brazil

ANSWER CHOICES	RESPONSES	
BTB autograft	8.33%	9
Hamstring autograft	50.93%	55
Quad autograft with bone	0.93%	1
Quad autograft without bone	15.74%	17
Iliotibial band	0.00%	0
Allograft with bone	12.96%	14
Soft tissue allograft	8.33%	9
Rectus femoris graft	0.93%	1
Synthetic	0.00%	0
Xenograft	0.00%	0
Other (please specify)	1.85%	2
TOTAL		108

#	OTHER (PLEASE SPECIFY)	DATE
1	ASTQuad ALLOgraft	1/26/2026 2:37 PM
2	Achilles allograft no bone	1/21/2026 2:56 AM

Q105 Do you believe that this questionnaire is still helpful in your practice?

Answered: 108 Skipped: 10



ANSWER CHOICES	RESPONSES
Yes	91.67% 99
No	8.33% 9
TOTAL	108

#	ANY ADDITIONAL COMMENTS OR FEEDBACK REGARDING SURVEY CONTENT, OR SUGGESTIONS FOR FUTURE TOPICS?	DATE
1	better as a group zoom	2/2/2026 9:49 PM
2	Thank you :)	2/2/2026 2:51 AM
3	difficult to answer in some questions because of complexity of the answer	2/1/2026 1:08 PM
4	Refine questions on indications; Q76 and 77 are incorrect: should be 10-30% instead of 10-20%	1/31/2026 11:47 PM
5	Too many questions (although all relevant)	1/31/2026 12:34 AM
6	Have fun in Brazil - I'll miss it. Hope to see you at ESSKA!	1/30/2026 11:30 PM
7	Specifics around non-op treatment (brace at 90 Vs brace but full ROM Vs no brace)	1/30/2026 6:36 PM
8	Didn't ask about vte and infection prevention	1/30/2026 5:23 PM
9	Thank you for inviting me to this survey. I'm looking forward to the results report.	1/27/2026 10:15 PM
10	difficult to answer some ligament reconstruction questions without knowing exam findings.	1/26/2026 2:37 PM
11	some difficult questions	1/26/2026 12:36 PM
12	Just collecting surgeons opinions	1/23/2026 9:38 AM
13	PCL	1/22/2026 5:20 AM
14	Thanks guys	1/21/2026 1:31 PM
15	EXCELLENT QUESTIONNAIRE	1/21/2026 8:08 AM
16	Need to ask questions on ATT in slope. This is more important than slope values.	1/20/2026 7:54 PM
17	hope it works out	1/20/2026 11:40 AM

18 Functional bracing after ACL recon should NOT be a yes/no answer. This is not all or none. Sometimes should be an option.

1/20/2026 10:28 AM

Q106 First name

Answered: 108 Skipped: 10

#	RESPONSES	DATE
1	MOISES	2/3/2026 3:35 AM
2	Wojciech	2/3/2026 2:28 AM
3	Kevin	2/2/2026 9:49 PM
4	Joao	2/2/2026 7:33 AM
5	Eric	2/2/2026 3:16 AM
6	Armin	2/2/2026 2:51 AM
7	Stefano	2/1/2026 11:40 PM
8	SIMONE	2/1/2026 1:08 PM
9	Jonathan	2/1/2026 7:02 AM
10	Simon	2/1/2026 12:16 AM
11	Romain	1/31/2026 11:47 PM
12	Danyal	1/31/2026 7:04 PM
13	Brian	1/31/2026 3:14 PM
14	Roland	1/31/2026 3:12 PM
15	Mary	1/31/2026 2:31 PM
16	volker	1/31/2026 2:09 PM
17	Justin	1/31/2026 12:22 PM
18	Simon	1/31/2026 10:53 AM
19	Walter	1/31/2026 7:24 AM
20	Peter	1/31/2026 7:00 AM
21	Ross	1/31/2026 6:39 AM
22	Maria	1/31/2026 6:10 AM
23	Mininder	1/31/2026 6:10 AM
24	Anonymous	1/31/2026 3:20 AM
25	Björn	1/31/2026 3:01 AM
26	Riccardo	1/31/2026 2:56 AM
27	Nicolas	1/31/2026 2:38 AM
28	martyn	1/31/2026 2:02 AM
29	Etienne	1/31/2026 1:31 AM
30	peter	1/31/2026 1:21 AM
31	Vladimir	1/31/2026 12:34 AM
32	Patrick	1/31/2026 12:20 AM
33	Nn	1/31/2026 12:15 AM

ACLSG 2026 Biennial Survey Brazil

34	Andreas	1/30/2026 11:30 PM
35	Riccardo	1/30/2026 11:14 PM
36	Daisuke	1/30/2026 10:18 PM
37	Hayden	1/30/2026 9:15 PM
38	Marc	1/30/2026 8:20 PM
39	Brett	1/30/2026 6:36 PM
40	Brian	1/30/2026 6:27 PM
41	Christian	1/30/2026 5:48 PM
42	Tim	1/30/2026 5:40 PM
43	Christopher	1/30/2026 5:23 PM
44	Andrew	1/30/2026 5:02 PM
45	Alberto	1/30/2026 4:49 PM
46	elvire	1/28/2026 7:22 AM
47	Mirco	1/27/2026 10:28 PM
48	Yuichi	1/27/2026 10:15 PM
49	Brian	1/27/2026 6:32 AM
50	peter	1/27/2026 2:51 AM
51	Vicente	1/27/2026 12:18 AM
52	Kyle	1/26/2026 7:25 PM
53	Ryosuke	1/26/2026 5:39 PM
54	Tim	1/26/2026 3:25 PM
55	John	1/26/2026 2:37 PM
56	Bert	1/26/2026 1:27 PM
57	CH	1/26/2026 12:36 PM
58	Marc	1/26/2026 12:02 PM
59	karl	1/26/2026 10:35 AM
60	Dimitrios	1/26/2026 10:13 AM
61	Christian	1/26/2026 10:00 AM
62	Julian	1/25/2026 3:27 PM
63	Diego	1/25/2026 12:26 PM
64	Anders	1/25/2026 6:52 AM
65	David	1/24/2026 11:13 PM
66	Greg	1/24/2026 1:19 PM
67	NN	1/23/2026 9:38 AM
68	JOSE	1/23/2026 4:03 AM
69	Robert	1/22/2026 10:46 AM
70	David	1/22/2026 10:34 AM
71	Jon	1/22/2026 5:20 AM

ACLSG 2026 Biennial Survey Brazil

72	Lachlan	1/22/2026 4:22 AM
73	Kanto	1/21/2026 9:33 PM
74	Hideyuki	1/21/2026 9:25 PM
75	Atsuo	1/21/2026 7:31 PM
76	James	1/21/2026 1:31 PM
77	Amelie	1/21/2026 12:13 PM
78	Matthieu	1/21/2026 9:07 AM
79	DAVID	1/21/2026 8:08 AM
80	João	1/21/2026 6:32 AM
81	Edoardo	1/21/2026 3:55 AM
82	Shuji	1/21/2026 3:40 AM
83	Rhidian	1/21/2026 2:56 AM
84	Tatsuo	1/21/2026 2:05 AM
85	Charles	1/20/2026 11:50 PM
86	Burt	1/20/2026 11:47 PM
87	Mark	1/20/2026 8:40 PM
88	Al	1/20/2026 7:54 PM
89	Jason	1/20/2026 6:39 PM
90	yusuke	1/20/2026 3:56 PM
91	Robert	1/20/2026 3:01 PM
92	Thomas	1/20/2026 2:01 PM
93	Andy	1/20/2026 1:49 PM
94	Christopher	1/20/2026 1:12 PM
95	Tim	1/20/2026 12:58 PM
96	Christian	1/20/2026 12:40 PM
97	eivind	1/20/2026 12:30 PM
98	Daniel	1/20/2026 12:07 PM
99	PATRICK	1/20/2026 11:46 AM
100	Tim	1/20/2026 11:45 AM
101	Bertrand	1/20/2026 11:45 AM
102	rene	1/20/2026 11:40 AM
103	Camilo	1/20/2026 11:36 AM
104	Martin	1/20/2026 11:23 AM
105	Seth	1/20/2026 10:40 AM
106	Lutul	1/20/2026 10:28 AM
107	Elmar	1/20/2026 10:15 AM
108	Christoph	1/20/2026 10:08 AM

Q107 Last Name

Answered: 108 Skipped: 10

#	RESPONSES	DATE
1	Cohen	2/3/2026 3:35 AM
2	Widuchowski	2/3/2026 2:28 AM
3	Stone	2/2/2026 9:49 PM
4	Espegueira-Mendes	2/2/2026 7:33 AM
5	Hamrin Senorski	2/2/2026 3:16 AM
6	Runer	2/2/2026 2:51 AM
7	Zaffagnini	2/1/2026 11:40 PM
8	PERELLI	2/1/2026 1:08 PM
9	Hughes	2/1/2026 7:02 AM
10	Ball	2/1/2026 12:16 AM
11	Seil	1/31/2026 11:47 PM
12	Nawabi	1/31/2026 7:04 PM
13	Forsythe	1/31/2026 3:14 PM
14	Becker	1/31/2026 3:12 PM
15	Ireland	1/31/2026 2:31 PM
16	Musahl	1/31/2026 2:09 PM
17	Roe	1/31/2026 12:22 PM
18	Young	1/31/2026 10:53 AM
19	Lowe	1/31/2026 7:24 AM
20	D'Alessandro	1/31/2026 7:00 AM
21	Radic	1/31/2026 6:39 AM
22	Tuca	1/31/2026 6:10 AM
23	Kocher	1/31/2026 6:10 AM
24	Anonymous	1/31/2026 3:20 AM
25	Barenius	1/31/2026 3:01 AM
26	D'Ambrosi	1/31/2026 2:56 AM
27	BOUGUENNEC	1/31/2026 2:38 AM
28	snow	1/31/2026 2:02 AM
29	Cavaignac	1/31/2026 1:31 AM
30	verdonk	1/31/2026 1:21 AM
31	Bobic	1/31/2026 12:34 AM
32	Djian	1/31/2026 12:20 AM
33	Nn	1/31/2026 12:15 AM

ACLSG 2026 Biennial Survey Brazil

34	Persson	1/30/2026 11:30 PM
35	Cristiani	1/30/2026 11:14 PM
36	Araki	1/30/2026 10:18 PM
37	Morris	1/30/2026 9:15 PM
38	Safran	1/30/2026 8:20 PM
39	Fritsch	1/30/2026 6:36 PM
40	Cole	1/30/2026 6:27 PM
41	Lattermann	1/30/2026 5:48 PM
42	Spalding	1/30/2026 5:40 PM
43	Vertullo	1/30/2026 5:23 PM
44	Pearle	1/30/2026 5:02 PM
45	Grassi	1/30/2026 4:49 PM
46	servien	1/28/2026 7:22 AM
47	Herbort	1/27/2026 10:28 PM
48	Hoshino	1/27/2026 10:15 PM
49	Devitt	1/27/2026 6:32 AM
50	angele	1/27/2026 2:51 AM
51	Sanchis-Alfonso	1/27/2026 12:18 AM
52	Borque	1/26/2026 7:25 PM
53	Kuroda	1/26/2026 5:39 PM
54	Whitehead	1/26/2026 3:25 PM
55	Xerogeanes	1/26/2026 2:37 PM
56	Mandelbaum	1/26/2026 1:27 PM
57	h	1/26/2026 12:36 PM
58	Strauss	1/26/2026 12:02 PM
59	eriksson	1/26/2026 10:35 AM
60	Mastrokalos	1/26/2026 10:13 AM
61	Prall	1/26/2026 10:00 AM
62	Feller	1/25/2026 3:27 PM
63	Astur	1/25/2026 12:26 PM
64	Stålman	1/25/2026 6:52 AM
65	Parker	1/24/2026 11:13 PM
66	Maletis	1/24/2026 1:19 PM
67	NN	1/23/2026 9:38 AM
68	HUYLEBROEK	1/23/2026 4:03 AM
69	Magnussen	1/22/2026 10:46 AM
70	Flanigan	1/22/2026 10:34 AM
71	Drogset	1/22/2026 5:20 AM

ACLSG 2026 Biennial Survey Brazil

72	Batty	1/22/2026 4:22 AM
73	Nagai	1/21/2026 9:33 PM
74	Koga	1/21/2026 9:25 PM
75	Nakamae	1/21/2026 7:31 PM
76	Robinson	1/21/2026 1:31 PM
77	Stoehr	1/21/2026 12:13 PM
78	Ollivier	1/21/2026 9:07 AM
79	FIGUEROA	1/21/2026 8:08 AM
80	Novaretti	1/21/2026 6:32 AM
81	Monaco	1/21/2026 3:55 AM
82	Taketomi	1/21/2026 3:40 AM
83	Thomas	1/21/2026 2:56 AM
84	Mae	1/21/2026 2:05 AM
85	Brown	1/20/2026 11:50 PM
86	Klos	1/20/2026 11:47 PM
87	Clatworthy	1/20/2026 8:40 PM
88	Getgood	1/20/2026 7:54 PM
89	Koh	1/20/2026 6:39 PM
90	nakagawa	1/20/2026 3:56 PM
91	Śmigielski	1/20/2026 3:01 PM
92	Carter	1/20/2026 2:01 PM
93	Williams	1/20/2026 1:49 PM
94	Kaeding	1/20/2026 1:12 PM
95	Lording	1/20/2026 12:58 PM
96	Fink	1/20/2026 12:40 PM
97	inderhaug	1/20/2026 12:30 PM
98	Guenther	1/20/2026 12:07 PM
99	SMITH	1/20/2026 11:46 AM
100	Hewett	1/20/2026 11:45 AM
101	Sonnery-Cottet	1/20/2026 11:45 AM
102	verdonk	1/20/2026 11:40 AM
103	Helito	1/20/2026 11:36 AM
104	Lind	1/20/2026 11:23 AM
105	Sherman	1/20/2026 10:40 AM
106	Farrow	1/20/2026 10:28 AM
107	Herbst	1/20/2026 10:15 AM
108	Kittl	1/20/2026 10:08 AM